

MARSHALL LABORATORIES, INC.

2060 Palmetto St. • Clearwater, FL 33765 • Phone (727) 443-2771 • FAX (727) 443-2777

Results

	Fine Paints Of Europe EUROLUX MATTE	Fine Paints Of Europe EUROLUX MATTE
Base	White/Base	Base TR
Color	2029 Wooden Shoes	1798 Navy Blue
Batch Number	011519-021	040318-009
Scrub Resistance, ASTM D2486 - Cycles Average	411	XXXX
Stain Resistance, ASTM D4828, 10=Stain Completely Removed		
#2 Pencil	9	XXXX
Crayola Red Crayon	9	XXXX
Betadine	10	XXXX
Ball-point Pen, Blue	3	XXXX
Waterborne Felt Marker, Black	10	XXXX
Covergirl 575 Red Lipstick	10	XXXX
Mineral-oil-borne Soilant, ASTM D3450	6	XXXX
Average Rating	8.1	XXXX
Burnish Resistance, ASTM D6736 - 1 Week		
Initial 85 Degree Gloss	20.7	9.0
Final 85 Degree Gloss	<u>23.9</u>	<u>10.6</u>
% 85 Degree Gloss Increase Average of 2 (Unwashed)	15%	18%
Subjective Burnish Increase (Unwashed)	Excellent	Excellent
Final 85 Degree Gloss (Sponge washed)	22.5	9.9
% 85 Degree Gloss Increase Average of 2 (Sponge washed)	9%	10%
Subjective Burnish Increase (Sponge washed)	Excellent	Excellent

Notes - The submitted premium MATTE paints performed excellent for the tests conducted.



Daniel Marschall
Marschall Labs Inc.
May 3 , 2019